



Accessibility Conformance Report

WCAG 2.1 and 2.2 Checklist

Name of Product: Toad for IBM DB2

Report Date: 26 March 2025

Evaluation Methods Used: Accessibility Insights for Windows

Contact: Legal@Quest.com

Terms

The terms used in the Conformance Level information are defined as follows:

Term	Explanation
Supports	The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
Partially Supports	Some functionality of the product does not meet the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.
ADTC	Anticipated calendar quarter (and year) when this accessibility feature is expected to be corrected.

WCAG Conformance Levels

Three levels of WCAG conformance exist: A, AA, and AAA. Each level builds on the prior level. To meet level AA, a product must meet all of level A; to meet AAA, a product must meet all of level AA.

Level		Conformance Criteria			
		WCAG 2.0	WCAG 2.1	WCAG 2.2	Total (all versions)
A	Minimum accessibility	25	5	2	32
AA	More accessible	13	7	4	24
AAA	Even more accessible <i>(not applicable to all experiences)</i>	23	5	3	31
Total		61	17	9	86*

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.1.1 – Non-text Content</u>	Text alternatives are provided for non-text content.	Does Not Support		
<u>1.2.1 – Audio-only and Video-only (Pre-recorded)</u>	A transcript is provided for audio-only content, and a transcript or audio description is provided for video-only content.	Not Applicable		
<u>1.2.2 – Captions (Pre-recorded)</u>	Captions are provided for video with audio.	Not Applicable		
<u>1.2.3 – Audio Description or Media Alternative (Pre-recorded)</u>	A transcript and / or audio descriptions are provided for video with audio.	Not Applicable		
<u>1.3.1 – Info and Relationships</u>	Information and content relationships implied by formatting are communicated in text or in a way that works with assistive technology.	Does Not Support		Many labels or instructions are not associated correctly, or the information presented to screen reader users is not equivalent.
<u>1.3.2 – Meaningful Sequence</u>	The reading order of content is meaningful, no matter how a user accesses or consumes it.	Partially Supports		Some layout tables do not make sense when linearized.
<u>1.3.3 – Sensory Characteristics</u>	Instructions rely on more than one sense.	Supported		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.1 – Use of Color</u>	Color is not the only way used to distinguish an element, convey meaning, indicate an action, or prompt a response.	Supports		
<u>1.4.2 – Audio Control</u>	A mechanism is provided to control audio that plays on page automatically for more than three seconds.	Not Applicable		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.1.1 – Keyboard</u>	All functionality is operable using a keyboard (with exceptions).	Partially Supports		Keyboard access is provided throughout Toad and its help system. Keyboard shortcuts, shortcut keys, and menu commands are readily available.
<u>2.1.2 – No Keyboard Trap</u>	The focus does not get trapped on any element in keyboard-only navigation.	Supports		
<u>2.1.4 – Character Key Shortcuts</u>	No single-key shortcuts are used, or a way to turn them off or change them is provided.	Supports		
<u>2.2.1 – Timing Adjustable</u>	If a page has a time limit, users can turn the time limit off, adjust it, or extend it.	Supports		
<u>2.2.2 – Pause, Stop, Hide</u>	User controls are provided for moving or dynamically changing content.	Supports		
<u>2.3.1 – Three Flashes or Below</u>	No content flashes more than three times per second, or the flash is below flash thresholds.	Not Applicable		
<u>2.4.1 – Bypass Blocks</u>	When blocks of content are repeated on multiple pages, a mechanism is provided to bypass / skip them.	Not Applicable		
<u>2.4.2 – Page Titled</u>	Page titles clearly describe the page topic or page purpose.	Not Applicable		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.4.3 – Focus Order</u>	The tabbing order of the content is meaningful and supports operation.	Not Applicable		
<u>2.4.4 – Link Purpose (In Context)</u>	The purpose of each link can be determined from the link text alone or from the link text and its related context.	Not Applicable		
<u>2.5.1 – Pointer Gestures</u>	A single pointer alternative to complex pointer or touch gestures is provided.	Not Applicable		
<u>2.5.2 - Pointer Cancellation</u>	For functionality that is operated by a single pointer, a way to cancel the pointer input is provided.	Supports		
<u>2.5.3 – Label in Name</u>	The programmatic name contains the text that is presented visually.	Not Applicable		
<u>2.5.4 – Motion Actuation</u>	For functions that are triggered by moving a device or by gesturing toward a device, an alternative way of triggering the response is provided.	Not Applicable		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.1 – Language of Page</u>	Each page has a human language assigned.	Not Applicable		
<u>3.2.1 – On Focus</u>	Interactive elements receiving focus do not trigger any functionality.	Supports		
<u>3.2.2 – On Input</u>	Interactive elements receiving input do not trigger any functionality.	Supports		
<u>3.2.6 – Consistent Help</u>	Help options provided are consistently available and in the same relative place throughout.	Supports		
<u>3.3.1 – Error Identification</u>	When an input error is detected, the user is notified, and the error is described.	Supports		
<u>3.3.2 – Labels or Instructions</u>	A persistent visible label and / or instructions are provided for elements that require user input.	Supports		
<u>3.3.7 – Redundant Entry</u>	Information that the user has already entered during a process is made available to them.	Supports		
<u>4.1.1 – Parsing</u>	HTML code is clean and well formed in a way that it can be interpreted by browsers and assistive technology. *Note: Criterion 4.1.1 – Parsing, has been removed in version 2.2 and is considered automatically met for versions 2.1 and 2.0.	Supported		
<u>4.1.2 – Name, Role, Value</u>	All user interface components communicate their accessibility properties and actions to assistive technology.	Does not support		Many custom UI components do not have programmatically determinable name, role and state.

WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.4 – Captions (Live)</u>	Synchronized captions are provided for live videos containing audio.	Not Applicable		
<u>1.2.5 – Audio Description (Pre-recorded)</u>	If there is important visual content in a video that is not presented in the accompanying audio, an audio description is provided.	Not Applicable		
<u>1.3.4 – Orientation</u>	Screen orientation is not restricted unless orientation is considered essential.	Supports		
<u>1.3.5 – Identify Input Purpose</u>	For each form field collecting user information, the purpose of the field is programmatically declared.	Not Applicable		
<u>1.4.3 – Contrast (Minimum)</u>	The contrast ratio between regular-sized, nondecorative text and its background is at least 4.5:1.	Partial Support		Some text has insufficient contrast
<u>1.4.4 – Resize Text</u>	Text can be resized up to 200% without loss of content or function.	Supports		
<u>1.4.5 – Images of Text</u>	Aside from a few specific exceptions, there are no images of text.	Supports		

WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.10 – Reflow</u>	Content presentation is responsive and doesn't require scrolling in two dimensions.	Supports		
<u>1.4.11 – Non-Text Contrast</u>	The contrast ratio between non-text elements (including any states) and their background is at least 3:1.	Partial Supports		Some texts have insufficient contrast
<u>1.4.12 – Text Spacing</u>	Text spacing can be overridden to improve the reading experience.	Supports		
<u>1.4.13 – Content on Hover Focus</u>	When additional content is presented on hover or on focus, the new content is persistent and dismissible.	Supports		
<u>2.4.5 – Multiple Ways</u>	There is more than one way to reach each page.	Not Application		
<u>2.4.6 – Headings and Labels</u>	Headings and labels are clear and descriptive.	Supports		
<u>2.4.7 – Focus Visible</u>	Keyboard focus is clear and visible.	Supports		
<u>2.4.11 – Focus Not Obscured (Minimum)</u>	When an actionable element receives focus, at least a portion of it remains visible.	Supports		
<u>2.5.7 – Dragging Movements</u>	If any part of a website requires a dragging movement, an alternative means of dragging, such as tapping or clicking, is provided.	Not Applicable		

WCAG Level AA checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.5.8 – Target Size (Minimum)</u>	The size of a target is at least 24 by 24 CSS pixels (with exceptions).	Does not Support		
<u>3.1.2 – Language of Parts</u>	Assistive technology can distinguish and reflect when the human language on a page changes.	Does not Support		
<u>3.2.3 – Consistent Navigation</u>	Navigational elements are consistently displayed, including their location and the order of their content.	Not Applicable		
<u>3.2.4 – Consistent Identification</u>	Components with the same functionality are consistently identified.	Not Applicable		
<u>3.3.3 – Error Suggestion</u>	Users receive helpful / specific suggestions when they make errors.	Supports		
<u>3.3.4 – Error Prevention (Legal, Financial, Data)</u>	When users enter financial or legal data, submissions are reversible, and data is checked and confirmed before submission is finalized.	Not Applicable		
<u>3.3.8 – Accessible Authentication (Minimum)</u>	When a cognitive function test is used to authenticate a user, an alternative way to authenticate, or a help mechanism to complete the authentication is provided.	Not Applicable		
<u>4.1.3 – Status Messages</u>	Status messages can be presented to the user by assistive technology without receiving focus.	Not Applicable		

WCAG Level AAA Checklist


Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.6 – Sign Language (Pre-recorded)</u>	Sign-language interpretation of audio is provided for pre-recorded videos.	Does not support		
<u>1.2.7 – Extended Audio Description (Pre-recorded)</u>	Videos without sufficient pauses for audio description are extended so that audio descriptions can be added.	Does not support		
<u>1.2.8 – Media Alternative (Pre-recorded)</u>	A text alternative, like a descriptive transcript, is provided for all pre-recorded videos with audio.	Does not support		
<u>1.2.9 – Audio-only (Live)</u>	Live text captioning or a transcript is provided for live audio.	Does not support		
<u>1.3.6 – Identify Purpose</u>	The purpose of elements is programmatically declared by adding semantics or metadata.	Not Applicable		
<u>1.4.6 – Contrast (Enhanced)</u>	The contrast ratio between regular-sized, non-decorative text and its background is at least 7:1.	Partially Supports		The application has option to change the color and font size to visualize the screen.
<u>1.4.7 – Low or No Background Audio</u>	Audio contains little to no background noise, or background noise can be turned off.	Does not support		
<u>1.4.8 – Visual Presentation</u>	Users can adjust to the range of presentation options.	Partially Supports		The application has option to change the color and font size to visualize the screen.
<u>1.4.9 – Images of Text (No Exception)</u>	There are no images of text.	Does Not Support		

WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/Y Y)	Remarks
<u>2.1.3 – Keyboard (No Exception)</u>	All page functionality is operable using a keyboard (with no exceptions).	Partially Supports		Not all menu navigation items are accessible through [Tab]. Some of the buttons and menu items must be accessed with a mouse.
<u>2.2.3 – No Timing</u>	With the exception of real-time events, no content requires timed interaction.	Does Not Supports		
<u>2.2.4 – Interruptions</u>	Interruptions can be postponed, suppressed, or configured.	Does Not Supports		
<u>2.2.5 – Re-authenticating</u>	User data is saved when re-authenticated.	Does Not Supports		
<u>2.2.6 – Timeouts</u>	Users are warned when extended inactivity could cause data loss.	Does Not Supports		
<u>2.3.2 – Three Flashes</u>	No content flashes more than three times per second.	Does Not Supports		
<u>2.3.3 – Animation from Interactions</u>	If an animation is triggered by a user interaction, users can stop the animation.	Does Not Supports		
<u>2.4.8 – Location</u>	Users can orient themselves within a set of pages.	Supports		
<u>2.4.9 – Link Purpose (Link Only)</u>	Every link's purpose is clear from its text.	Supports		
<u>2.4.10 – Section Headings</u>	Content is broken up by section headings.	Supports		

2.4.12 – Focus Not Obscured (Enhanced)	When an actionable element receives focus, the entire component is visible.	Partial Support		
---	---	-----------------	--	--

WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/Y Y)	Remarks
<u>2.4.13 – Focus Appearance</u> 	Focus indicators have sufficient color contrast and are sized to be clearly visible.	Supports		
<u>2.5.5 – Target Size</u>	The size of the target for pointer inputs is at least 44 x 44 CSS pixels.	Not Applicable		
<u>2.5.6 – Concurrent Input Mechanism</u>	Input is not restricted to a specific modality (like keyboard only or touch only).	Supports		

WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.3 – Unusual Words</u>	Words or phrases that are ambiguous or unfamiliar are defined.	Does not Support		
<u>3.1.4 – Abbreviations</u>	Abbreviations are explained or offered in expanded form close by.	Does not Support		
<u>3.1.5 – Reading Level</u>	Content is provided at an eighth grade reading level, or an alternative version at or below an eighth grade reading level is provided.	Supports		
<u>3.1.6 – Pronunciation</u>	Words that are hard to pronounce are clarified nearby.	Does not Support		
<u>3.2.5 – Change on Request</u>	Content on the page doesn't change unless users initiate it.	Not Applicable		
<u>3.3.5 – Help</u>	Contextual instructions or cues are provided to help users complete and submit forms.	Supports		
<u>3.3.6 – Error Prevention (All)</u>	For any form where a user submits information, the user can reverse, verify, or confirm changes or deletions.	Does not Support		
<u>3.3.9 – Accessible Authentication (Enhanced)</u>	When a cognitive function test is used to authenticate a user, at least one other authentication method is available which is not a cognitive function test.	Not Applicable		