



Accessibility Conformance Report

WCAG 2.1 and 2.2 Checklist

Name of Product: Archive Manager

Report Date: 02/Mar/2026

Evaluation Methods Used: Testing based on general product knowledge

Contact: Legal@Quest.com

Terms

The terms used in the Conformance Level information are defined as follows:

Term	Explanation
Supports	The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
Partially Supports	Some functionality of the product does not meet the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.
ADTC	Anticipated calendar quarter (and year) when this accessibility feature is expected to be corrected.

WCAG Level A Checklist

WCAG Conformance Levels

Three levels of WCAG conformance exist: A, AA, and AAA. Each level builds on the prior level. To meet level AA, a product must meet all of level A; to meet AAA, a product must meet all of level AA.

Level		Conformance Criteria			
		WCAG 2.0	WCAG 2.1	WCAG 2.2	Total (all versions)
A	Minimum accessibility	25	5	2	32
AA	More accessible	13	7	4	24
AAA	Even more accessible <i>(not applicable to all experiences)</i>	23	5	3	31
Total		61	17	9	86*

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.1.1 – Non-text Content</u>	Text alternatives are provided for non-text content.	Does Not Support		Many icons and non-text controls do not have appropriate text alternatives.
<u>1.2.1 – Audio-only and Video-only (Pre-recorded)</u>	A transcript is provided for audio-only content and a transcript or audio description is provided for video-only content.	Not Applicable		
<u>1.2.2 – Captions (Pre-recorded)</u>	Captions are provided for video with audio.	Not Applicable		
<u>1.2.3 – Audio Description or Media Alternative (Pre-recorded)</u>	A transcript and / or audio descriptions are provided for video with audio.	Not Applicable		
<u>1.3.1 – Info and Relationships</u>	Information and content relationships implied by formatting are communicated in text or in a way that works with assistive technology.	Partially Supports		Some labels or instructions are not associated correctly, or the information presented to screen reader users is not equivalent.
<u>1.3.2 – Meaningful Sequence</u>	The reading order of content is meaningful, no matter how a user accesses or consumes it.	Supports		
<u>1.3.3 – Sensory Characteristics</u>	Instructions rely on more than one sense.	Supports		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.1 – Use of Color</u>	Color is not the only way used to distinguish an element, convey meaning, indicate an action, or prompt a response.	Supports		
<u>1.4.2 – Audio Control</u>	A mechanism is provided to control audio that plays on page automatically for more than three seconds.	Not Applicable		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.1.1 – Keyboard</u>	All functionality is operable using a keyboard (with exceptions).	Does Not Support		Archive Manager have many functions which are not keyboard accessible.
<u>2.1.2 – No Keyboard Trap</u>	The focus does not get trapped on any element in keyboard-only navigation.	Supports		
<u>2.1.4 – Character Key Shortcuts</u>	No single-key shortcuts are used, or a way to turn them off or change them is provided.	Does Not Support		
<u>2.2.1 – Timing Adjustable</u>	If a page has a time limit, users can turn the time limit off, adjust it, or extend it.	Supports		
<u>2.2.2 – Pause, Stop, Hide</u>	User controls are provided for moving or dynamically changing content.	Partially Supports		Archive Manager does not include moving, blinking. But the content in product lists and tables is updated periodically by a software when a User requested an operation on it. The information update can be stopped if the User stops the updating operation.
<u>2.3.1 – Three Flashes or Below</u>	No content flashes more than three times per second, or the flash is below flash thresholds.	Not Applicable		Archive Manager does not use flashing interface elements.
<u>2.4.1 – Bypass Blocks</u>	When blocks of content are repeated on multiple pages, a mechanism is provided to bypass / skip them.	Does Not Support		Archive Manager does not have a structural markup to skip repeatable blocks on every page.
<u>2.4.2 – Page Titled</u>	Page titles clearly describe the page topic or page purpose.	Supports		

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.4.3 – Focus Order</u>	The tabbing order of the content is meaningful and supports operation.	Supports		
<u>2.4.4 – Link Purpose (In Context)</u>	The purpose of each link can be determined from the link text alone or from the link text and its related context.	Supports		
<u>2.5.1 – Pointer Gestures</u>	A single pointer alternative to complex pointer or touch gestures is provided.	Supports		All the functionality/features work on simple gestures, on-click of the mouse and doesn't require any question gesture.
<u>2.5.2 - Pointer Cancellation</u>	For functionality that is operated by a single pointer, a way to cancel the pointer input is provided.	Supports		
<u>2.5.3 – Label in Name</u>	The programmatic name contains the text that is presented visually.	Partially Supports		Not supported for some of the labels
<u>2.5.4 – Motion Actuation</u>	For functions that are triggered by moving a device or by gesturing toward a device, an alternative way of triggering the response is provided.	Supports		There is no functionality that is dependent on the device motion or user motion.

WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.1 – Language of Page</u>	Each page has a human language assigned.	Supports		English Only.
<u>3.2.1 – On Focus</u>	Interactive elements receiving focus do not trigger any functionality.	Supports		
<u>3.2.2 – On Input</u>	Interactive elements receiving input do not trigger any functionality.	Supports		
<u>3.2.6 – Consistent Help</u>	Help options provided are consistently available and in the same relative place throughout.	Supports		
<u>3.3.1 – Error Identification</u>	When input error is detected, the user is notified and the error is described.	Partially Supports		Some required or error fields are marked with red color only. Some error messages can only be accessed in a mouse activated tooltip.
<u>3.3.2 – Labels or Instructions</u>	A persistent visible label and / or instructions are provided for elements that require user input.	Partially Supports		
<u>3.3.7 – Redundant Entry</u>	Information that the user has already entered during a process is made available to them.	Supports		
<u>4.1.1 – Parsing</u>	HTML code is clean and well formed in a way that it can be interpreted by browsers and assistive technology. *Note: Criterion 4.1.1 – Parsing, has been removed in version 2.2 and is considered automatically met for versions 2.1 and 2.0.	Partially Supports		Some HTML validation issues may impact accessibility.
<u>4.1.2 – Name, Role, Value</u>	All user interface components communicate their accessibility properties and actions to assistive technology.	Does Not Support		Many custom UI components do not have programmatically determinable name, role and state.

WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.4 – Captions (Live)</u>	Synchronized captions are provided for live videos containing audio.	Not Applicable		
<u>1.2.5 – Audio Description (Pre-recorded)</u>	If there is important visual content in a video that is not presented in the accompanying audio, an audio description is provided.	Not Applicable		
<u>1.3.4 – Orientation</u>	Screen orientation is not restricted unless the orientation is considered essential.	Partially Supports		Website support view as per the screen width and mostly view content as portrait.
<u>1.3.5 – Identify Input Purpose</u>	For each form field collecting user information, the purpose of the field is programmatically declared.	Supports		Input fields names are general names mentioned according to w3.org
<u>1.4.3 – Contrast (Minimum)</u>	The contrast ratio between regular-sized, nondecorative text and its background is at least 4.5:1.	Partially Supports		Some text has insufficient contrast
<u>1.4.4 – Resize Text</u>	Text can be resized up to 200% without loss of content or function.	Supports		
<u>1.4.5 – Images of Text</u>	Aside from a few specific exceptions, there are no images of text.	Supports		

WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.10 – Reflow</u>	Content presentation is responsive and doesn't require scrolling in two dimensions.	Supports		Website is responsive according to the width size of the browser.
<u>1.4.11 – Non-Text Contrast</u>	The contrast ratio between non-text elements (including any states) and their background is at least 3:1.	Supports		The color match of input fields and components are highly contrast.
<u>1.4.12 – Text Spacing</u>	Text spacing can be overridden to improve the reading experience.	Supports		There is no loss of information if the mentioned constraints are changed by the user.
<u>1.4.13 – Content on Hover Focus</u>	When additional content is presented on hover or on focus, the new content is persistent and dismissable.	Not Applicable		
<u>2.4.5 – Multiple Ways</u>	There is more than one way to reach each page.	Supports		
<u>2.4.6 – Headings and Labels</u>	Headings and labels are clear and descriptive.	Supports		
<u>2.4.7 – Focus Visible</u>	Keyboard focus is clear and visible.	Does Not Support		Only the links, the input fields, the radio buttons and the checkboxes have visible focus indicator. The focus indicator is not visible on many other interactive elements.
<u>2.4.11 – Focus Not Obscured (Minimum)</u>	When an actionable element receives focus, at least a portion of it remains visible.	Does Not Support		
<u>2.5.7 – Dragging Movements</u>	If any part of a website requires a dragging movement, an alternative means of dragging, such as tapping or clicking, is provided.	Supports		

WCAG Level AA checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.5.8 – Target Size (Minimum)</u>	The size of a target is at least 24 by 24 CSS pixels (with exceptions).	Supports		
<u>3.1.2 – Language of Parts</u>	Assistive technology can distinguish and reflect when the human language on a page changes.	Supports		The system correctly handles language changes for assistive technologies, providing accurate language attributes.
<u>3.2.3 – Consistent Navigation</u>	Navigational elements are consistently displayed, including their location and the order of their content.	Supports		
<u>3.2.4 – Consistent Identification</u>	Components with the same functionality are consistently identified.	Supports		Functional components (buttons, links, controls, etc.) are consistently identified across all pages
<u>3.3.3 – Error Suggestion</u>	Users receive helpful / specific suggestions when they make errors.	Supports		Clear and actionable error suggestions are provided to users when input errors occur.
<u>3.3.4 – Error Prevention (Legal, Financial, Data)</u>	When users enter financial or legal data, submissions are reversible, and data is checked and confirmed before submission is finalized.	Supports		
<u>3.3.8 – Accessible Authentication (Minimum)</u>	When a cognitive function test is used to authenticate a user, an alternative way to authenticate, or a help mechanism to complete the authentication is provided..	Supports		If cognitive authentication tests are used, alternative methods or help mechanisms are available.
<u>4.1.3 – Status Messages</u>	Status messages can be presented to the user by assistive technology without receiving focus.	Supports		


WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.6 – Sign Language (Pre-recorded)</u>	Sign-language interpretation of audio is provided for pre-recorded videos.	Not Applicable		
<u>1.2.7 – Extended Audio Description (Pre-recorded)</u>	Videos without sufficient pauses for audio description are extended so that audio descriptions can be added.	Not Applicable		
<u>1.2.8 – Media Alternative (Pre-recorded)</u>	A text alternative, like a descriptive transcript, is provided for all pre-recorded video with audio.	Supports		
<u>1.2.9 – Audio-only (Live)</u>	Live text captioning or a transcript is provided for live audio.	Not Applicable		
<u>1.3.6 – Identify Purpose</u>	The purpose of elements is programmatically declared by adding semantics or metadata.	Supports		
<u>1.4.6 – Contrast (Enhanced)</u>	The contrast ratio between regular-sized, non-decorative text and its background is at least 7:1.	Partially Supports		Some text meets the 7:1 contrast ratio, but others may not, requiring attention for improved legibility.
<u>1.4.7 – Low or No Background Audio</u>	Audio contains little to no background noise, or background noise can be turned off.	Not Applicable		
<u>1.4.8 – Visual Presentation</u>	Users can adjust a range of presentation options.	Supports		
<u>1.4.9 – Images of Text (No Exception)</u>	There are no images of text.	Supports		

WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.1.3 – Keyboard (No Exception)</u>	All page functionality is operable using a keyboard (with no exceptions).	Does Not Support		
<u>2.2.3 – No Timing</u>	With the exception of real-time events, no content requires timed interaction.	Supports		The product does not require timed interactions, except for real-time data events.
<u>2.2.4 – Interruptions</u>	Interruptions can be postponed, suppressed, or configured.	Supports		Interruptions, such as pop-ups or system messages, can be postponed or configured by users.
<u>2.2.5 – Re-authenticating</u>	User data is saved when re-authenticated.	Supports		User data is retained, allowing seamless re-authentication without data loss.
<u>2.2.6 – Timeouts</u>	Users are warned when extended inactivity could cause data loss.	Supports		The system warns users about timeouts and potential data loss when there is extended inactivity.
<u>2.3.2 – Three Flashes</u>	No content flashes more than three times per second.	Supports		There is no content within the product that flashes more than three times per second.
<u>2.3.3 – Animation from Interactions</u>	If an animation is triggered by a user interaction, users can stop the animation.	Supports		
<u>2.4.8 – Location</u>	Users can orient themselves within a set of pages.	Supports		
<u>2.4.9 – Link Purpose (Link Only)</u>	Every link's purpose is clear from its text.	Supports		All links have descriptive text that clearly indicates their purpose and destination, making them accessible for screen readers.
<u>2.4.10 – Section Headings</u>	Content is broken up by section headings.	Supports		Content is organized using clear, descriptive headings that break the page into logical sections.

WCAG Level AAA Checklist

<u>2.4.12 – Focus Not Obscured (Enhanced)</u>	When an actionable element receives focus, the entire component is visible.	Partially Supports		The focus is not always fully visible for all interactive elements, and some components may be obscured upon focus.
Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.4.13 – Focus Appearance</u> 	Focus indicators have sufficient color contrast and are sized to be clearly visible.	Supports		
<u>2.5.5 – Target Size</u>	The size of the target for pointer inputs is at least 44 x 44 CSS pixels.	Supports		
<u>2.5.6 – Concurrent Input Mechanism</u>	Input is not restricted to a specific modality (like keyboard only or touch only).	Supports		

WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.3 – Unusual Words</u>	Words or phrases that are ambiguous or unfamiliar are defined.	Supports		
<u>3.1.4 – Abbreviations</u>	Abbreviations are explained or offered in expanded form close by.	Supports		
<u>3.1.5 – Reading Level</u>	Content is provided at an eighth grade reading level, or an alternative version at or below an eighth grade reading level is provided.	Supports		
<u>3.1.6 – Pronunciation</u>	Words that are hard to pronounce are clarified nearby.	Supports		
<u>3.2.5 – Change on Request</u>	Content on the page doesn't change unless users initiate it.	Supports		
<u>3.3.5 – Help</u>	Contextual instructions or cues are provided to help users complete and submit forms.	Supports		
<u>3.3.6 – Error Prevention (All)</u>	For any form where a user submits information, the user can reverse, verify, or confirm changes or deletions.	Supports		
<u>3.3.9 – Accessible Authentication (Enhanced)</u>	When a cognitive function test is used to authenticate a user, at least one other authentication method is available which is not a cognitive function test.	Not Applicable		



WCAG Level AAA Checklist

© 2026 Quest Software Inc.

ALL RIGHTS RESERVED.

Quest, Quest Software, the Quest logo, and One Identity are trademarks and registered trademarks of Quest Software Inc. and its affiliates. All other trademarks are the property of their respective owners.