



# Accessibility Conformance Report

## WCAG 2.1 and 2.2 Checklist

**Name of Product:** Secure Copy  
**Report Date:** 12-Feb-2026  
**Evaluation Methods Used:** No tools were used  
**Contact:** [Legal@Quest.com](mailto:Legal@Quest.com)

### Terms

The terms used in the Conformance Level information are defined as follows:

Term	Explanation
<b>Supports</b>	The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
<b>Partially Supports</b>	Some functionality of the product does not meet the criterion.
<b>Does Not Support</b>	The majority of product functionality does not meet the criterion.
<b>Not Applicable</b>	The criterion is not relevant to the product.
<b>Not Evaluated</b>	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.
<b>ADTC</b>	Anticipated calendar quarter (and year) when this accessibility feature is expected to be corrected.



## WCAG Level A Checklist

### WCAG Conformance Levels

Three levels of WCAG conformance exist: A, AA, and AAA. Each level builds on the prior level. To meet level AA, a product must meet all of level A; to meet AAA, a product must meet all of level AA.

Level		Conformance Criteria			
		WCAG 2.0	WCAG 2.1	WCAG 2.2	Total (all versions)
A	Minimum accessibility	25	5	2	32
AA	More accessible	13	7	4	24
AAA	Even more accessible <i>(not applicable to all experiences)</i>	23	5	3	31
Total		61	17	9	86*



## WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.1.1 – Non-text Content</u>	Text alternatives are provided for non-text content.	Supports		
<u>1.2.1 – Audio-only and Video-only (Pre-recorded)</u>	A transcript is provided for audio-only content and a transcript or audio description is provided for video-only content.	Not Applicable		Secure Copy Doesn't include audio or video content
<u>1.2.2 – Captions (Pre-recorded)</u>	Captions are provided for video with audio.	Not Applicable		Doesn't include audio or video content
<u>1.2.3 – Audio Description or Media Alternative (Pre-recorded)</u>	A transcript and / or audio descriptions are provided for video with audio.	Not Applicable		Doesn't include audio or video content
<u>1.3.1 – Info and Relationships</u>	Information and content relationships implied by formatting are communicated in text or in a way that works with assistive technology.	Supports		Secure Copy uses semantically correct markup so that information, structure, and relationships can be understood independent of presentation.
<u>1.3.2 – Meaningful Sequence</u>	The reading order of content is meaningful, no matter how a user accesses or consumes it.	Supports		Secure Copy generates semantically-correct markup to allow assistive technologies to interpret the meaning of content and controls
<u>1.3.3 – Sensory Characteristics</u>	Instructions rely on more than one sense.	Supports		



## WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.1 – Use of Color</u>	Color is not the only way used to distinguish an element, convey meaning, indicate an action, or prompt a response.	Does not Support		Secure Copy marks the errors using text without color.
<u>1.4.2 – Audio Control</u>	A mechanism is provided to control audio that plays on page automatically for more than three seconds.	Not Applicable		Doesn't include audio or video content.

## WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.1.1 – Keyboard</u>	All functionality is operable using a keyboard (with exceptions).	Supports		
<u>2.1.2 – No Keyboard Trap</u>	The focus does not get trapped on any element in keyboard-only navigation.	Supports		
<u>2.1.4 – Character Key Shortcuts</u>	No single-key shortcuts are used, or a way to turn them off or change them is provided.	Not Applicable		
<u>2.2.1 – Timing Adjustable</u>	If a page has a time limit, users can turn the time limit off, adjust it, or extend it.	Not Applicable		
<u>2.2.2 – Pause, Stop, Hide</u>	User controls are provided for moving or dynamically changing content.	Partially Supports		Secure Copy supports pause and stop but not hide
<u>2.3.1 – Three Flashes or Below</u>	No content flashes more than three times per second, or the flash is below flash thresholds.	Not Applicable		Secure Copy does not use flashing interface elements.
<u>2.4.1 – Bypass Blocks</u>	When blocks of content are repeated on multiple pages, a mechanism is provided to bypass / skip them.	Not Applicable		Secure Copy does not have a structural markup to skip repeatable blocks on every page.
<u>2.4.2 – Page Titled</u>	Page titles clearly describe the page topic or page purpose.	Supports		



## WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.4.3 – Focus Order</u>	The tabbing order of the content is meaningful and supports operation.	Supports		
<u>2.4.4 – Link Purpose (In Context)</u>	The purpose of each link can be determined from the link text alone or from the link text and its related context.	Supports		
<u>2.5.1 – Pointer Gestures</u>	A single pointer alternative to complex pointer or touch gestures is provided.	Supports		
<u>2.5.2 - Pointer Cancellation</u>	For functionality that is operated by a single pointer, a way to cancel the pointer input is provided.	Supports		
<u>2.5.3 – Label in Name</u>	The programmatic name contains the text that is presented visually.	Supports		
<u>2.5.4 – Motion Actuation</u>	For functions that are triggered by moving a device or by gesturing toward a device, an alternative way of triggering the response is provided.	Not Applicable		

## WCAG Level A Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.1 – Language of Page</u>	Each page has a human language assigned.	Partially Supports		Secure Copy only support English for all views. The views for job running supports english and Japanese programmatically
<u>3.2.1 – On Focus</u>	Interactive elements receiving focus do not trigger any functionality.	Supports		
<u>3.2.2 – On Input</u>	Interactive elements receiving input do not trigger any functionality.	Supports		
<u>3.2.6 – Consistent Help</u>	Help options provided are consistently available and in the same relative place throughout.	Supports		
<u>3.3.1 – Error Identification</u>	When input error is detected, the user is notified and the error is described.	Partially Supports		Secure Copy Manager for Notes automatically detects errors in most of inputs.
<u>3.3.2 – Labels or Instructions</u>	A persistent visible label and / or instructions are provided for elements that require user input.	Supports		
<u>3.3.7 – Redundant Entry</u>	Information that the user has already entered during a process is made available to them.	Supports		
<u>4.1.1 – Parsing</u>	<del>HTML code is clean and well formed in a way that it can be interpreted by browsers and assistive technology.</del> *Note: Criterion 4.1.1 – Parsing, has been removed in version 2.2 and is considered automatically met for versions 2.1 and 2.0.	Supported		
<u>4.1.2 – Name, Role, Value</u>	All user interface components communicate their accessibility properties and actions to assistive technology.	Not Applicable		



## WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.4 – Captions (Live)</u>	Synchronized captions are provided for live videos containing audio.	Not Applicable		No live audio content is used
<u>1.2.5 – Audio Description (Pre-recorded)</u>	If there is important visual content in a video that is not presented in the accompanying audio, an audio description is provided.	Not Applicable		
<u>1.3.4 – Orientation</u>	Screen orientation is not restricted unless the orientation is considered essential.	Not Applicable		Secure Copy only supports Windows desktop system
<u>1.3.5 – Identify Input Purpose</u>	For each form field collecting user information, the purpose of the field is programmatically declared.	Not Applicable		
<u>1.4.3 – Contrast (Minimum)</u>	The contrast ratio between regular-sized, nondecorative text and its background is at least 4.5:1.	Supports		
<u>1.4.4 – Resize Text</u>	Text can be resized up to 200% without loss of content or function.	Does Not Support		
<u>1.4.5 – Images of Text</u>	Aside from a few specific exceptions, there are no images of text.	Does Not Support		

## WCAG Level AA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.4.10 – Reflow</u>	Content presentation is responsive and doesn't require scrolling in two dimensions.	Supports		
<u>1.4.11 – Non-Text Contrast</u>	The contrast ratio between non-text elements (including any states) and their background is at least 3:1.	Supports		
<u>1.4.12 – Text Spacing</u>	Text spacing can be overridden to improve the reading experience.	Supports		
<u>1.4.13 – Content on Hover Focus</u>	When additional content is presented on hover or on focus, the new content is persistent and dismissable.	Not Applicable		
<u>2.4.5 – Multiple Ways</u>	There is more than one way to reach each page.	Not Applicable		
<u>2.4.6 – Headings and Labels</u>	Headings and labels are clear and descriptive.	Supports		
<u>2.4.7 – Focus Visible</u>	Keyboard focus is clear and visible.	Supports		
<u>2.4.11 – Focus Not Obscured (Minimum)</u>	When an actionable element receives focus, at least a portion of it remains visible.			
<u>2.5.7 – Dragging Movements</u>	If any part of a website requires a dragging movement, an alternative means of dragging, such as tapping or clicking, is provided.	Supports		



## WCAG Level AA checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.5.8 – Target Size (Minimum)</u>	The size of a target is at least 24 by 24 CSS pixels (with exceptions).			
<u>3.1.2 – Language of Parts</u>	Assistive technology can distinguish and reflect when the human language on a page changes.	Does Not Support		
<u>3.2.3 – Consistent Navigation</u>	Navigational elements are consistently displayed, including their location and the order of their content.	Supports		
<u>3.2.4 – Consistent Identification</u>	Components with the same functionality are consistently identified.	Not Applicable		
<u>3.3.3 – Error Suggestion</u>	Users receive helpful / specific suggestions when they make errors.	Partially Supports		Secure Copy provides suggestions for correcting errors such as identifying required fields or a guidance to fix some issues.
<u>3.3.4 – Error Prevention (Legal, Financial, Data)</u>	When users enter financial or legal data, submissions are reversible, and data is checked and confirmed before submission is finalized.	Not Applicable		
<u>3.3.8 – Accessible Authentication (Minimum)</u>	When a cognitive function test is used to authenticate a user, an alternative way to authenticate, or a help mechanism to complete the authentication is provided..	Not Applicable		
<u>4.1.3 – Status Messages</u>	Status messages can be presented to the user by assistive technology without receiving focus.	Does Not Support		

## WCAG Level AAA Checklist


Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>1.2.6 – Sign Language (Pre-recorded)</u>	Sign-language interpretation of audio is provided for pre-recorded videos.	Does Not Support		Doesn't include audio or video content
<u>1.2.7 – Extended Audio Description (Pre-recorded)</u>	Videos without sufficient pauses for audio description are extended so that audio descriptions can be added.	Does Not Support		Doesn't include audio or video content
<u>1.2.8 – Media Alternative (Pre-recorded)</u>	A text alternative, like a descriptive transcript, is provided for all pre-recorded video with audio.	Does Not Support		
<u>1.2.9 – Audio-only (Live)</u>	Live text captioning or a transcript is provided for live audio.	Does Not Support		
<u>1.3.6 – Identify Purpose</u>	The purpose of elements is programmatically declared by adding semantics or metadata.	Does Not Support		
<u>1.4.6 – Contrast (Enhanced)</u>	The contrast ratio between regular-sized, non-decorative text and its background is at least 7:1.	Does Not supports		
<u>1.4.7 – Low or No Background Audio</u>	Audio contains little to no background noise, or background noise can be turned off.	Does Not supports		
<u>1.4.8 – Visual Presentation</u>	Users can adjust a range of presentation options.	Does Not supports		
<u>1.4.9 – Images of Text (No Exception)</u>	There are no images of text.	Does Not supports		



## WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.1.3 – Keyboard (No Exception)</u>	All page functionality is operable using a keyboard (with no exceptions).	Does Not Support		
<u>2.2.3 – No Timing</u>	With the exception of real-time events, no content requires timed interaction.	Not Applicable		
<u>2.2.4 – Interruptions</u>	Interruptions can be postponed, suppressed, or configured.	Not Applicable		
<u>2.2.5 – Re-authenticating</u>	User data is saved when re-authenticating.	Not Applicable		
<u>2.2.6 – Timeouts</u>	Users are warned when extended inactivity could cause data loss.	Not Applicable		
<u>2.3.2 – Three Flashes</u>	No content flashes more than three times per second.	Not Applicable		
<u>2.3.3 – Animation from Interactions</u>	If an animation is triggered by a user interaction, users can stop the animation.	Not Applicable		
<u>2.4.8 – Location</u>	Users can orient themselves within a set of pages.	Not Applicable		
<u>2.4.9 – Link Purpose (Link Only)</u>	Every link's purpose is clear from its text.	Not Applicable		
<u>2.4.10 – Section Headings</u>	Content is broken up by section headings.	Not Applicable		
<u>2.4.12 – Focus Not Obscured (Enhanced)</u>	When an actionable element receives focus, the entire component is visible.	Not Applicable		

## WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>2.4.13 – Focus Appearance</u> 	Focus indicators have sufficient color contrast and are sized to be clearly visible.	Not Applicable		
<u>2.5.5 – Target Size</u>	The size of the target for pointer inputs is at least 44 x 44 CSS pixels.	Not Applicable		
<u>2.5.6 – Concurrent Input Mechanism</u>	Input is not restricted to a specific modality (like keyboard only or touch only).	Not Applicable		



## WCAG Level AAA Checklist

Criterion	Description	Conformance Level	ADTC (Q/YY)	Remarks
<u>3.1.3 – Unusual Words</u>	Words or phrases that are ambiguous or unfamiliar are defined.	Not Applicable		
<u>3.1.4 – Abbreviations</u>	Abbreviations are explained or offered in expanded form close by.	Not Applicable		
<u>3.1.5 – Reading Level</u>	Content is provided at an eighth grade reading level, or an alternative version at or below an eighth grade reading level is provided.	Supports		
<u>3.1.6 – Pronunciation</u>	Words that are hard to pronounce are clarified nearby.	Does Not Support		
<u>3.2.5 – Change on Request</u>	Content on the page doesn't change unless users initiate it.	Supports		
<u>3.3.5 – Help</u>	Contextual instructions or cues are provided to help users complete and submit forms.	Supports		
<u>3.3.6 – Error Prevention (All)</u>	For any form where a user submits information, the user can reverse, verify, or confirm changes or deletions.	Partially Support		
<u>3.3.9 – Accessible Authentication (Enhanced)</u>	When a cognitive function test is used to authenticate a user, at least one other authentication method is available which is not a cognitive function test.	Not Applicable		